

**IN THE UNITED STATES DISTRICT COURT  
FOR THE SOUTHERN DISTRICT OF WEST VIRGINIA  
CHARLESTON DIVISION**

IN RE: ETHICON, INC. PELVIC REPAIR  
SYSTEMS PRODUCTS LIABILITY  
LITIGATION

Master File No. 2:12-MD-02327  
MDL 2327

-----  
ETHICON WAVE 4 CASES LISTED IN  
PLAINTIFFS' EXHIBIT A

JOSEPH R. GOODWIN U.S. DISTRICT  
JUDGE

**NOTICE OF ADOPTION OF PRIOR DAUBERT RESPONSE REGARDING  
BRIAN J. FLYNN, M.D. FOR WAVE 4**

Defendants Ethicon, Inc., Ethicon LLC, and Johnson & Johnson (collectively "Ethicon") hereby adopt and incorporate by reference the *Daubert* response in relation to Dr. Brian Flynn filed by Ethicon in Wave 3, Dkt. 2913. Ethicon respectfully requests that the Court deny Plaintiffs' motion, for the reasons expressed in its Wave 3 response briefing.

Respectfully submitted,

/s/Christy D. Jones

Christy D. Jones  
Butler Snow LLP  
1020 Highland Colony Parkway  
Suite 1400 (39157)  
P.O. Box 6010  
Ridgeland, MS 39158-6010  
(601) 985-4523  
christy.jones@butlersnow.com

/s/ David B. Thomas

David B. Thomas (W.Va. Bar #3731)  
Thomas Combs & Spann PLLC  
300 Summers Street  
Suite 1380 (25301)  
P.O. Box 3824  
Charleston, WV 25338  
(304) 414-1807  
dthomas@tcspllc.com

COUNSEL FOR DEFENDANTS  
ETHICON, INC., ETHICON LLC, AND  
JOHNSON & JOHNSON

**CERTIFICATE OF SERVICE**

I hereby certify that on this date I electronically filed the foregoing document with the Clerk of the Court using the CM/ECF system which will send notification of such filing to the CM/ECF participants registered to receive service in this MDL.

/s/ Christy D. Jones

Christy D. Jones  
Butler Snow LLP  
1020 Highland Colony Parkway  
Suite 1400 (39157)  
P.O. Box 6010  
Ridgeland, MS 39158-6010  
(601) 985-4523  
christy.jones@butlersnow.com